

Darwin Health Limited

Chaperone Policy

Document Control

A. Confidentiality Notice

This document and the information contained therein is the property of Darwin Health Limited.

This document contains information that is privileged, confidential or otherwise protected from disclosure. It must not be used by, or its contents reproduced or otherwise copied or disclosed without the prior consent in writing from Darwin Health Limited.

B. Document Details

Classification:	FOR OFFICE USE ONLY
OWNER & ROLE:	IZZY CULLISS, PRACTICE MANAGER
Applicable Organisations:	Darwin Health Member Practices: Beeches Medical Practice, Belvidere Medical Practice, Claremont Bank Surgery, Marden Medical Practice, Marysville Medical Practice, Mytton Oak Surgery, Radbrook Green Surgery, Riverside Surgery, Severnfields Medical Practice, South Hermitage Surgery, Worthen Medical Practice
Current Version Number:	001
Current Document Approved By:	IZZY CULLISS
Date Approved:	6 th April 2018
Revision date and period:	06/04/21 (3 yearly)

C. Document Revision and Approval History

Version	Date	Version Created By:	Version Approved By:	Comments
001	06/04/18	Izzy Culliss		

CHAPERONE POLICY

Introduction

This policy is designed to protect both patients and staff from abuse or allegations of abuse and to assist patients to make an informed choice about their examinations and consultations.

Also see Chaperone (Guidelines for)

Guidelines

Clinicians (male and female) should consider whether an intimate or personal examination of the patient (either male or female) is justified, or whether the nature of the consultation poses a risk of misunderstanding.

- The clinician should give the patient a clear explanation of what the examination will involve.
- Always adopt a professional and considerate manner - be careful with humour as a way of relaxing a nervous situation as it can easily be misinterpreted.
- Always ensure that the patient is provided with adequate privacy to undress and dress.
- Ensure that a suitable sign is clearly on display in each consulting or treatment room offering the chaperone service.

This should remove the potential for misunderstanding. However, there will still be times when either the clinician, or the patient, feels uncomfortable, and it would be appropriate to consider using a chaperone. Patients who request a chaperone should never be examined without a chaperone being present. If necessary, where a chaperone is not available, the consultation/examination should be rearranged for a mutually convenient time when a chaperone can be present.

Complaints and claims have not been limited to doctors treating/examining patients of the opposite gender - there are many examples of alleged assault by female and male doctors on people of the same gender.

Consideration should also be given to the possibility of a malicious accusation by a patient.

There may be occasions when a chaperone is needed for a home visit. The following procedure should still be followed.

Who Can Act as a Chaperone?

A variety of people can act as a chaperone in the practices, but staff undertaking a formal chaperone role must have been trained in the competencies required. Where possible, it is strongly recommended that chaperones should be clinical staff familiar with procedural aspects of personal examination. Where suitable clinical staff members are not available, the examination should be deferred.

Where the practices determine that non-clinical staff will act in this capacity, the patient must agree to the presence of a non-clinician in the examination, and be at ease with this. The staff member should be trained in the procedural aspects of personal examinations, comfortable in acting in the role of chaperone, and be confident in the scope and extent of their role. They will have received instruction on where to stand and what to watch and instructions to that effect will be laid down in writing by the practices.

Confidentiality

- The chaperone should only be present for the examination itself, and most discussion with the patient should take place while the chaperone is not present.
- Patients should be reassured that all practice staff understand their responsibility not to divulge confidential information.

Click here to link to the latest GMC guidelines for intimate examinations:
www.gmc-uk.org/guidance/ethical_guidance/21170.asp

PROCEDURE

- The clinician will contact reception to request a chaperone.
- Where no chaperone is available, a clinician may offer to delay the examination to a date when one will be available, as long as the delay would not have an adverse effect on the patient's health.
- If a clinician wishes to conduct an examination with a chaperone present but the patient does not agree to this, the clinician must clearly explain why they want a chaperone to be present. The clinician may choose to consider referring the patient to a colleague who would be willing to examine them without a chaperone, as long as the delay would not have an adverse effect on the patient's health.
- The clinician will record in the notes that the chaperone is present, and identify the chaperone.

- The chaperone will enter the room discreetly and remain in the room until the clinician has finished the examination.
- The chaperone will attend inside the curtain/screened-off area at the head of the examination couch and observe the procedure.
- To prevent embarrassment, the chaperone should not enter into conversation with the patient or GP unless requested to do so, or make any mention of the consultation afterwards.
- **The chaperone will make a record in the patient's notes after examination.** The record will state that there were no problems, or give details of any concerns or incidents that occurred. The chaperone must be aware of the procedure to follow if they wish to raise concerns.
- The patient can refuse a chaperone, and if so this **must** be recorded in the patient's medical record.