



Chaperone Policy

Overview for all staff

- All patients are to be routinely offered a chaperone, ideally when booking their appointment. A chaperone must be provided when necessary to safeguard both patients and clinicians during intimate examinations or procedures.
- All staff must complete chaperone awareness training and those staff nominated to act as chaperones must have completed the appropriate training to enable them to undertake this role.
- Intimate examinations of children or young people under 18 must be conducted in the presence of a chaperone; a parent or carer may also be present to provide reassurance.
- When the child or young person is unable to give consent, parents or carers must be given an appropriate explanation to enable them to provide informed consent.
- The use of chaperones must be annotated in the individual's healthcare record and the appropriate SNOMEDCT ID used.

Table of contents

1	Introduction	2
1.1	Policy statement	2
1.2	Status	2
2	Policy	2
2.1	Who can act as a chaperone	2
2.2	General guidance	2
2.3	Role and expectations of a chaperone	3
2.4	When a chaperone is unavailable	3
2.5	When a patient refuses a chaperone	3
2.6	Disclosure and Barring Service (DBS) check	3
2.7	Using chaperones during a video consultation	3
2.8	Home visits and chaperones	4
2.9	Vulnerable patients	4
2.10	Children and young people under 18 years	4
2.11	Practice procedure (including SNOMED codes)	4
2.12	Escorting of visitors and guests (including VIPs)	5

1 Introduction

1.1 Policy statement

At this organisation, patients will routinely be offered a chaperone, where possible, at the time of booking an appointment. It is a requirement that, when necessary, chaperones are provided to protect and safeguard both patients and clinicians during intimate examinations or procedures. This policy adheres to the guidance detailed in [CQC GP mythbuster 15: Chaperones](#) and NHS England's [Improving chaperoning practice in the NHS: key principles and guidance](#).

A chaperone poster will be displayed in the waiting area and clinical rooms. Information about chaperones will also be included on the organisation's website.

1.2 Status

In accordance with the [Equality Act 2010](#), we have considered how provisions within this policy might impact on different groups and individuals. This document and any procedures contained within it are non-contractual, which means they may be modified or withdrawn at any time. They apply to all employees and contractors working for the organisation.

2 Policy

2.1 Who can act as a chaperone

At this organisation, it is policy that any member of the team can act as a chaperone. However, they must have undertaken chaperone training as detailed in [CQC GP mythbuster 15](#). Additionally, **all staff** must complete chaperone awareness training which covers the role of the chaperone.

2.2 General guidance

The [General Medical Council \(GMC\) Intimate examinations and chaperones guidance](#) explains that the patient should be given the option of having an impartial observer (a chaperone) present whenever possible.

As per the GMC guidance, relatives or friends of the patient are not considered to be an impartial observer so would not usually be a suitable chaperone but staff at this organisation should comply with a reasonable request to have such a person present in addition to the chaperone.

The GMC guidance also provides detailed information as to what the clinician should do before and during the examination, including adhering to the GMC [Decision making and consent guidance](#). When a chaperone is present, the details of the chaperone must be recorded in the patient's clinical record.

2.3 Role and expectations of a chaperone

Staff at this organisation acting as a chaperone are to adhere to the guidance referenced at 2.2. [CQC GP mythbuster 15: Chaperones](#) advises that for most patients and procedures, respect, explanation, consent and privacy are all that are needed. These take precedence over the need for a chaperone. A chaperone does not remove the need for adequate explanation and courtesy. Neither can a chaperone provide full assurance that the procedure or examination is conducted appropriately.

2.4 When a chaperone is unavailable

The GMC further advises that if either the clinician or the patient does not want the examination to go ahead without a chaperone present, or if either is uncomfortable with the choice of chaperone, the clinician may offer to delay the examination until a later date when a suitable chaperone will be available providing the delay would not adversely affect the patient's health.

2.5 When a patient refuses a chaperone

If the clinician does not want to proceed with the examination without a chaperone but the patient has refused a chaperone, the clinician must clearly explain why they want a chaperone to be present. The GMC states that ultimately the patient's clinical needs must take precedence. The clinician may wish to consider referring the patient to a colleague who would be willing to examine them without a chaperone providing a delay would not adversely affect the patient's health.

Any discussion about chaperones and the outcome should be recorded in the patient's medical record, and in particular:

- Who the chaperone was
- Their title
- That the offer was made and declined

2.6 Disclosure and Barring Service (DBS) check

Clinical staff who undertake a chaperone role at this organisation will already have had a DBS check. [CQC GP mythbuster 15: Chaperones](#) states that non-clinical staff who carry out chaperone duties may need a DBS check. This is due to the nature of chaperoning duties and the level of patient contact. Should the organisation decide not to carry out a DBS check for any non-clinical staff, then a clear rationale for this decision must be given including an appropriate risk assessment.

2.7 Using chaperones during a video consultation

While it is widely accepted that many intimate examinations will not be suitable for a video consultation, should such a consultation be agreed, staff at this organisation are to adhere to the guidance detailed in [CQC GP mythbuster 15](#).

2.8 Home visits and chaperones

[NHS England guidance](#) states that patients should be offered a chaperone in advance of a home visit appointment. This will enable a chaperone to accompany the clinician during the visit. When this is not possible, clinicians must ensure there is clear communication and thorough documentation explaining why the examination proceeded without a chaperone being present and that this was agreed with the patient.

2.9 Vulnerable patients

[NHS England guidance](#) explains that when any patient is unable to make an informed decision, the healthcare professional must use their clinical judgement and be able to justify their course of action. This organisation will ensure any necessary reasonable adjustments are made for vulnerable patients.

2.10 Children and young people under 18 years

See separate "Chaperone Use in Children and Young People (<18) policy.

NHS England guidance recommends that a formal chaperone should be offered for intimate examinations, including in children and young people under 18, with local implementation adapted to clinical setting, context and service configuration.

A parent, carer or someone known and trusted by the child may also be present during the examination or procedure to provide reassurance. Parents or guardians must receive an appropriate explanation of the procedure to provide informed consent when the young person is unable to do so themselves.

2.11 Practice procedure (including SNOMED codes)

If a chaperone was not requested at the time of booking the appointment, the clinician will offer the patient a chaperone explaining the requirements:

- Contact reception and request a chaperone
- Record in the individual's healthcare record that a chaperone is present and identify them
- The chaperone should be introduced to the patient
- The chaperone should assist as required but maintain a position so that they are able to witness the procedure/examination (usually at the head end)
- The chaperone should adhere to their role at all times
- Post procedure or examination, the chaperone should ensure they annotate in the patient's healthcare record that they were present during the examination and there were no issues observed

- The clinician will annotate in the individual's healthcare record the full details of the procedure as per current medical records policy

Detail	SNOMED CT ID
Requires chaperone	1218711000000108
Chaperone offered	1104081000000107
The patient agrees to a chaperone	1104081000000107
Provision of chaperone refused	763380007
Chaperone not available	428929009
Presence of chaperone	314229006
Nurse chaperone	314380009

2.12 Escorting of visitors and guests (including VIPs)

There may be, on occasion, a need to ensure that appropriate measures are in place to escort visitors and guests including VIPs. On such occasions, this organisation will follow the recommendations outlined in the [Lampard Report \(2015\)](#).

If media interest is likely, the Practice Manager is to inform the local ICB, requesting that the communication team provides guidance and/or support where necessary.